

COMPLETION CHECKSHEET

WO: 73828

CUSTOMER:

CAL-LINE EQUIPMENT INC

All Sections

WORK ORDER #	73828
SERIAL #	4FMUS2024MR515987
JOB #	
PAINT	BANDIT YELLOW 133-32273
	CAT YELLOW QH-3069
XX	STD WHITE QH-1632
	STD GREEN QH-1566
	STD ORANGE QH-1662
	STD BLACK 133-67640

COMPLETION DATE	3/5/21
SHIPPING DATE	3/16/21
PREPARED BY	Drum FRANK
	Autofeed warren
	Frame FRANK
	Electrical FRANK
	Tanks FRANK
	Infeed FRANK
	Yoke FRANK
	Hydraulics chris smith
	Engine GARY

FLEX ENGINE		ADD INFO IF NEEDED	ENGINE FAMILY #	MJDXL04.55316
ENGINE	JD T4 FINAL	ENGINE HP	ENGINE SN#	PE4045U126889
ENGINE SPEC		ENGINE RPM	ENGINE SN# CHECK	PE4045U126889
ENGINE MODEL #	4045HFC06		PTO BRAND	NACD (SPRING LOADED)
ENGINE RC#	RC1330-910		PTO SERIAL #	438215AM
BANDIT ENCLOSED	NO		PTO #	NO
ENGINE TEMP SETTING			BOM #	
ENGINE OIL SHUTDOWN			CHECK CLUTCH ADJUSTMENT	
ANTI-FREEZE READING	-37		WAS CLUTCH SHAFT CUT	NO
			LENGTH OF CLUTCH SHAFT	
			BANDIT INSTALLED CLUTCH	

ENGINE:	XX	900-6970-09	RE551508	FUEL FILTER
ENGINE:	XX	900-6970-08	RE551507	FUEL WATER FILTER
ENGINE:	XX	900-6981-95	CH09-16729	AIR PRIMARY FILTER
ENGINE:	XX	900-6981-96	ST09-16731	AIR SECONDARY FILTER
ENGINE:	XX	904-0006-42	RE504836	OIL FILTER
ENGINE:	VIRGIS			AIR CLEANER BRAND
ENGINE:	XX			HORIZONTAL MUFFLER
ENGINE:	XX			ENGINE MFR. SCREEN
ENGINE:	XX		OPTION	AUTO FEED TACH

BATTERY				
Battery	x	900-6915-42	Standard	INTERSTATE 31XHD 1000CCA
Battery box (Plastic)	x	900-7900-08	Standard	STD PLASTIC BATTERY BOX
Battery box (Aluminum)	x	900-7900-78B	Standard	18" WIDE ALUMINUM BATTERY BOX

DRUM-DRIVE				
DRUM SPECS	XX	911-1005-73	2 KNIFE SPLI	DRUM HEAD ASSY 18XP/19XP 37" DIAMETER
DRUM SPECS	1090	RPM	OTHER	
DRUM SPECS	XX	900-9902-27		KNIFE (4 PER DRUM) 5/8" X 5 1/2" X 10"
KNIFE INFORMATION	102050506	ADD KNIFE LOT#		KNIFE LOT NUMBER
DRUM SPECS	XX	900-4900-20		KNIFE BOLT 20 PER 5/8" X 2"
DRUM SPECS	XX	900-4901-32		KNIFE BOLT WASHER 20 PER 5/8"
ANVIL ONLY	XX	937-1001-72		STD ANVIL
DRUM BEARINGS	XX	900-1914-80		XQU215 2-15/16"
DRUM BEARINGS	XX	900-1925-60		XQU215-SN 2 15/16
HINGED HOOD ASSY W/SHEAR	XX	911-2001-03		
SHEAR PARTS	122050920	ADD KNIFE LOT#		SHEAR BAR LOT #
SHEAR PARTS	XX	937-1012-95		SHEAR ASSEMBLY
SHEAR PARTS	XX	937-3007-12	35 1/8"	SHEAR BOLT PLATE (NEW THRU BASE SIDES)
SHEAR PARTS	XX	937-3009-23		SHEAR COUNTER KNIFE (2 PER)
SHEAR PARTS	XX	900-4909-86		COUNTER KNIFE BOLTS (8 PER) 1/4-20 x 5/8 SHCS
SHEAR PARTS	XX	900-4901-21		SHEAR ADJ. BOLTS (4 PER) 5/8-11 x 1 1/2
ENGINE SHEAVE	XX	900-1919-42		6G5V9.25-E DODGE 455375
BUSHING ENG. SHEAVE	XX	900-1902-76		E 2 1/4" DODGE 120510
CHIPPER SHEAVE	XX	900-1902-34		6G5V18.7 -F 455386
BUSHING CHIPPER SHEAVE	XX	900-1901-82		F-2 15/16" #120562
BELTS FOR CHIPPER DRIVE	X2	900-1905-76		3G5VX-1500 #108407
BANDED BELT	GATES			

AUTO FEED				
BANDIT CONTROLS	201482	SERIAL #		
	xx	300-8012-64	Black box	
	2150	HI		
	1850	LOW		
	300	BACK		
	33	Tier 4 ID		
	2200	ENGINE HIGH		
	800	ENGINE LOW		

WO: 73828

COMPLETION CHECKSHEET

MODEL 19XPC

CUSTOMER:

CAL-LINE EQUIPMENT INC

All Sections

Safety Disconnect	xx	999-8005-70	Tier 4 Bandit Controller
Hood Pin	xx	999-8005-58	
E-stop Jumper	xx	980-8000-42	
31 pin r-2	xx	999-8004-89	
jd adaptor for r2	xx	999-8005-20	
Feed Harness	xx	999-8004-73	R-2 HD Feed
flat r2 plastic box	xx	999-3001-16	
Joystick Harness	xx	999-8004-34	
Joystick/Winch Harness	xx	999-8004-79	T-4
Fuel Saver/light 6-Pin	xx	937-8000-92	

FRAME			
FRAME (STD)	XX	911-2000-59	56" FRAME ASSY - STD AND HIGH HP SHORT FRAME
FRAME / FENDERS	XX	12"	BOLT ON TONGUE EXTENSION
FRAME / FENDERS	XX	937-2003-68	OPTION ECN#6733 STEEL FENDER ASSY - STD BOLT ON
HITCH/JACK/CHAINS:	XX	900-5900-13	2 1/2" PINTLE
SAFETY CHAIN	XX	900-4912-71	3/8X7" SAFETY CHAIN ASSEMBLY (INCLUDES HOOKS)
SAFETY CHAIN	XX	900-4905-77	X2 3/8 SAFETY CHAIN HOOKS ONLY
HITCH/JACK/CHAINS:	XX	900-5908-17	8000# DROP LEG JACK
HITCH/JACK/CHAINS:	XX	955-2001-93	OPTION HYDRAULIC TONGUE JACK - BOLT ON
SUSPENSION:	123319900		AXLE SERIAL NUMBER
SUSPENSION:	XX	900-5915-73	PFI-295T 12,000# TORFLEX ELECTRIC BRAKE 0 DEGREE
SUSPENSION:	XX		SINGLE AXLE
SUSPENSION:	XX	900-5900-09	BREAKAWAY ACTUATOR

TIRE BRAND	NAVITRAC		TIRE SERIAL #	008 5K25P5 4020
TIRE SIZE	235/75R17.5		TIRE SERIAL #	008 5K25P5 4020
TIRE PLY RATE	H		TIRE SERIAL #	
TIRE & RIM ASSY	XX	900-5904-76	235/75 R17.5" TIRE & GREY HD RIM ASSY	
TIRE ONLY	XX	900-5904-48	235/75 R17.5" TIRE PLY RATING H	
RIM ONLY	XX	900-5904-49	GRAY SOLD CENTER RIM 17.5 X 6.75", 8 BOLT	
TIRES	325#	XX	LUG NUT TORQUE	

ELECTRICAL			
ELECTRICAL:	XX	900-2904-11	SAFETY DISCONNECT / PLUG & SOCKET
ELECTRICAL:	XX	900-2910-43	OVAL TAILLIGHT KIT
ELECTRICAL:	XX	900-2927-85	RED ROUND 3/4" CLEARANCE LIGHT
ELECTRICAL:	XX	900-2927-86	AMBER ROUND 3/4" CLEARANCE LIGHT
ELECTRICAL:	XX	900-2927-84	LICENSE PLATE LIGHT
ELECTRICAL:	XX	900-2902-41	JUNCTION BOX FOR TRAILER LIGHTING
ELECTRICAL/PLUG:	XX	900-2911-26	STANDARD 12" COILED POWER CORD (6 ROUND TO 6 ROUND PLUG)
ELECTRICAL/PLUG:	XX	900-2904-13	STANDARD 6 PIN SOCKET PLUG (BOLTS TO SIDE OF TONGUE)

TANKS			
HYDRAULIC TANK	XX	925-2000-12	30 GAL TANK TRAY ASSY
HYDRAULIC TANK	XX	900-3988-07	CAP
HYDRAULIC TANK	XX	#OL-313	BLACK HYD DECAL FOR CAP
FUEL/HYDRAULIC	XX	925-2000-14	30 GAL HYD WITH 40 GAL FUEL- TANK TRAY ASSY+E4
FUEL TANK	XX	911-1004-63	OPTION 40 GAL FUEL TANK DIESEL ONLY ASSEMBLY
FUEL TANK	XX	900-3988-07	CAP
FUEL TANK	XX	#OL-312	GREEN DIESEL DECAL FOR CAP

INFEED-DISC			
INFEED AREA	XX	911-1005-26	64" WIDE H.D SUPERSIZE RIM INFEED HOPPER ASSY (OVAL TAILLIGHT)
INFEED AREA	XX	955-0500-25A	64" HD CONTROL ARM
INFEED AREA	XX	937-3014-82	BOLT ON STEEL TAILLIGHT COVER
INFEED AREA	XX	955-0500-96	30" WELD ON PAN
INFEED AREA	XX	980-0508-64	PULL CABLE
INFEED AREA	XX	900-9902-07	MANUAL BOX
INFEED AREA	XX	981-1005-30	PUSHER PADDLE
INFEED AREA	XX	955-1005-80	YOKE LOCK PIN
DUAL YOKE LIFT HANDLE	XX	980-300065	
45"		OPTION-980-5001-74	
54"		OPTION-906-5000-14	
64"		OPTION-911-5001-36	
DISCHARGE:	XX	937-0500-18	HEIGHT ADJ. DISCHARGE ASSY W/HYDRAULIC SWIVEL
DISCHARGE:	XX	900-5917-29	PLATED SIDE CRANK JACK ASSY FOR HEIGHT ADJUST DISCHARGE
DISCHARGE:	XX	937-0501-63	12" ENCLOSED HYDRAULIC FLIPPER
DISCHARGE:	XX	937-2001-87	CLEAN OUT AND INSPECTION DOOR ON DISCHARGE

HYDRUALIGS			
Salami	XX	900-3976-52	
Joystick Manifold	XX	900-3989-58	3-Bank 900-3984-18 Dual D05 Tandem Center X2 for Feed
	XX	Winch Included	1250 Psi 900-3982-41 Dual D05 Open Center for Winch
	xx	Flow Control	900-3987-64

WO: 73828

COMPLETION CHECKSHEET

MODEL 19XPC

CUSTOMER:

CAL-LINE EQUIPMENT INC

All Sections

Feed Valve	x	900-3920-05A	Energy No Relief
Feed Motor	204345810	900-3906-29	TOP
	210203225	900-3917-18	BOTTOM
Lift Cylinder	xx	900-3925-06	Best Metals Models 18XP
Lift Valve	xx	900-3927-73	Energy
Tongue jack valve	xx	900-3920-01A	Energy
Tongue Jack cylinder	xx	900-3934-24	Best Metals
IN Tank Filter	xx	900-3950-56	HD Feed Drop Tube 900-3950-57 Element 900-3950-58
Suction Strainer	xx	900-3912-51	HD Feed 1 1/2"
Type	XX		
Code	XX		
S/N	52702720		
	XX	900-9912-75	HYDREX XV ALL SEASON OIL
	xx	900-3993-80	STANDARD DINAMIC WINCH (INCLUDES HD LOCK PIN, STANDARD MOTOR AND GEARS)
	xx	900-3983-77	STANDARD STANDARD HYD MOTOR FOR DINAMIC WINCH
	x	980-1004-20	HD WINCH LOCK DISENGAGEMENT HANDLE ASSY
	x	900-3992-75	HD WINCH LOCK PIN
	x	980-3011-25	NEW FAIRLEAD FOR ROPE (REPLACED 980-3009-03)
DOCKING STATION ON WINCH	x	980-1003-79	COMPLETE DOCKING STATION ASSEMBLY
	x	900-2903-07	SWITCH FOR DOCKING STATION
	x	900-4919-82	X3 SPRINGS FOR DOCKING STATION
	x	900-2927-86	INDICATOR LIGHT FOR FREESPOOL/DOCKING STATION
	x	980-2004-51	LINE DOCKING ARM PIVOT BEARING ASSEMBLY
	x	900-3985-06	5/16"x200" Amsteel Winch rope
Swivel Discharge	x	900-3920-01A	Energy Control Valve
	x	900-3923-86	Restrictor Fitting .062
	049202621	900-3977-10	Swivel Motor 2 Bolt Flange
Hydraulic Flipper	x	900-3920-01A	Energy Control Valve
	x	900-3925-18	Lock Valve
	x	900-3928-16	1 1/2" x 2" Cylinder

Actual Pressures / RPM's

Main Relief	2800	Psi checked at G1
Top Feed Wheel	2300	Psi checked at G2
Bottom Feed Wheel	2300	Psi checked at G5
	25	Top wheel RPM
	35	Bottom wheel RPM
Yoke lift	2000	Psi checked at G2
Winch	1400	Psi checked at G3
Swivel Discharge	1500	Psi
Discharge flipper	1500	Psi
Tongue jack	2200	Psi
Pump GPM	15.9	
ISO	20-14-7	
Factory settings set by:	jeremy	

SUPER SIZED HD FEED SYSTEM	XX		
TOP MOTOR SPROCKET	XX	900-1901-35	D80Q14
TOP MOTOR BUSHING	XX	900-1901-36	Q2 - 2 1/4
TOP FEEDWHEEL SPROCKET	XX	900-1901-37	D80R30
TOP FEEDWHEEL BUSHING	XX	900-1900-08	R1 - 2 7/16
DRIVE CHAIN	XX	900-1925-84	DOUBL 80 CHAIN
FEED WHEEL BEARINGS	XX	900-1904-07	2 7/16 FEED WHEEL BEARINGS
TOP YOKE ASSY	XX	925-1000-00	
TOP FEEDWHEEL ASSY	XX	925-2000-02	TOP FEEDWHEEL - CHAIN DRIVE
YOKE SLIDE GUIDE ASSY	XX	925-2000-09	
YOKE SLIDE (2 X 2 X 16)	XX	937-300406	
CHAIN GUARD ASSY	XX	925-2000-06	
BOTTOM YOKE ASSY	XX	925-1000-01	
BOTTOM FEEDWHEEL ASSY	XX	925-2000-04	BOTTOM FEEDWHEEL - JB COUPLER
YOKE LIFT ASSY	XX	925-2000-03	
TRAP DOOR ASSY	XX	911-2000-85	
MANUAL	XX	900-9910-28	MANUAL HOLDER FOR 6x9 WEATHER PROOF MANUAL
MANUAL	XX	900-4916-30	TETHER CABLE FOR WEATHERPROOF MANUAL
MISC	XX	955-1003-94	DRUM LOCK PIN
MISC	XX	980-0509-04	HOOD PIN DISABLE PLUG
MISC	XX	900-4905-37	HOOD LOCK PIN
MISC	XX	900-4902-20	PADLOCK FOR HOOD PIN
MISC	XX	955-300193	ANVIL GAUGE
MISC (cone holder)	XX	905-2001-03	OPTION CONE HOLDER (weld on hoop style w/spacer)
MISC	XX	955-2001-67	OPTION REAR JACK STAND
MISC	XX	M-1590MANUAL	MANUALS
MISC	XX		IGNITION KEY
MISC	XX		VIDEO
MISC	LOOSE	900-5902-32	OPTION WHEEL CHOCKS
MISC	10/21/25	980-0508-25	OPTION WHEEL CHOCK HOLDERS ALUMINUM BOLT ON

COMPLETION CHECKSHEET

WO: 73828

CUSTOMER:

CAL-LINE EQUIPMENT INC

All Sections

YOKE SLIDES

XX

937-300406

2 X 2 X 16

NOTES

2-1/2# FIRE EXTINGUISHER W/ MOUNT

*Estimated weights

Ship weight	GVWR	GAWR	Tongue weight
9,600	9,600	10,000	1,200