


TEREX Woodsman

770 BRUSH CHIPPER

Parts Manual



Customer _____


Dealer _____

S/N _____ Frame # _____

Date _____

TABLE OF CONTENTS

TABLE OF CONTENTS.....	3
CHIPPER COMPONENTS	4-5
INFEEED COMPLETE.....	6-7
YOKE / FEED WHEEL	8-9
DETENT BOX	10-11
WINCH	12-13
BASE ASSEMBLY	14-15
DISCHARGE CHUTE.....	16-17
HYD. JACK / STABILIZER	18-19
TANKS.....	20-21
HAND CRANK	22-23
HYDRAULICS	24-25
HYDRAULICS WITH WINCH.....	26-27
TRAILER ELECTRICAL	28-29
ELECTRICAL	30-31
ELECTRICAL with E-STOP.....	32-33
ELECTRICAL with E-STOP and WINCH.....	34-35
SAFETY DECALS	36-39
SAFETY DECALS ENGLISH & SPANISH	40-43




CHIPPER COMPONENTS

ITEM	PART NO.	QTY	DESCRIPTION
1	40068418	1	Frame assembly
2	40070418	1	Extendable tongue
3	41006418	1	Infeed / Feed wheel assembly complete
4	41001318	1	Base assembly complete
5	41007100	1	Discharge assembly
6	41015080	1	Tank assembly
7	41003418	1	Hydraulic jack / stabilizer assembly
8	40079418	1	Valve box
9	25501002	3	Tank mounts (in pairs)
10	26107004	1	Axle
11	26126201	2	Tire & rim
12	40058418	1	Left hand fender
13	40057418	1	Right hand fender
14	40002418	1	Battery / tool box assembly
15	-----	1	Power plant
16	41002100	1	Hand crank assembly
17	41010418	1	Belt shield assembly

AR - As Required


NS - Not Shown



INFEED COMPONENTS

ITEM	PART NO.	QTY	DESCRIPTION
1	40051418	1	Infeed weldment
2	41005418	1	Yoke & feed wheel assembly complete
3	40071418	2	Yoke arm pivot pin
4	24650232	20	1/2" Flat washer
5	24702308	12	1/2"-13 x 1 1/2" Long Gd 8 bolt
6	24801108	8	1/2"-13 Lock nut
7	26010143	2	Rubber grommet for taillights
8	26010138	2	Taillight
9	40008418	1	Infeed tailgate weldment
10	40009418	1	Safety bar
11	26010139	2	Red marker light
12	40013104	1	Infeed / Feed wheel cover for detent box
13	26400208	4	1/2" Lock washer
14	22004052	3	Yoke lift lever mount
15	40012418	1	Control arm assembly
16	24650104	12	1/4" Flat washer
17	30115318	1	Infeed rubber curtain
18-NS	24650230	10	3/8" Flat washer
19-NS	24402205	5	3/8"-16 x 1 Long Gd 5 bolt
20-NS	24801107	5	3/8"-16 Lock nut
21	24402114	5	1/4"-20 x 2" long Gd 5 bolt
22-NS	24402118	1	1/4"-20 x 2 1/2" Long Gd 5 bolt
23	24801105	6	1/4"-20 Lock nut
24	41008130	1	Right hand control winch assembly
25	41009418	1	Detent box assembly complete
26	40003901	2	Yoke cylinder
27	26010135	3	Red marker light with grommet
28	30014100	4	Lexan light cover spacers
29	30013100	2	Lexan light cover
30	24650229	16	5/16" Flat washer
31	24402159	8	5/16"-18 x 1 1/2" Long Gd 5 bolt
32	24801106	8	5/16"-18 Lock nut
33	24650110	4	5/8" Flat washer
34	24702445	2	5/8"-11 x 8" Long Gd 8 bolt
35	24801110	2	5/8"-11 Lock nut
	AR - As Required		NS - Not Shown

Woodsman




YOKE & FEEDWHEEL

ITEM	PART NO.	QTY	DESCRIPTION
1	40010418	1	Yoke arm assembly
2	41012418	1	Feed wheel assembly
3	22045510	2	Gear hub
4	22040111	2	Hyd. motor for the feed wheel
5	24715383	8	5/8" x 1 1/2" Long bolt
6	24600208	4	1/2" Lock washer
7	24702312	4	1/2"-13 x 2" Long Gd 8 bolt

AR - As Required

NS - Not Shown




DETENT BOX

ITEM	PART NO.	QTY	DESCRIPTION
1	40021313	1	Detent box weldment
2	26053040	2	Detent switch
3	30256730	1	Detent box cover
4	21015015	1	Detent bearing
5	30160104	1	Detent linkage
6	30161104	1	Detent linkage
7	24413230	1	3/8" Eye bolt x 6" long
8	24650230	3	3/8" Flat washer
9	24801107	2	3/8"-16 Lock nut
10	19500032	1	Detent spring
11	24402209	1	3/8"-16 x 1 1/2" Long Gd 5 bolt
12	26053045	2	Switch lever
13	24650232	2	1/2" flat washer
14	24702308	1	1/2"-13 x 1 1/2" Long Gd 8 bolt
15	24801108	1	1/2"-13 Lock nut
16	19500026	2	Flipper "T" Handle spring
17	24650234	1	5/8" Flat washer
18	24600206	4	3/8" lock washer
19	24402203	4	3/8"-16 x 3/4" Long Gd 5 bolt
20	30290418	1	Control arm linkage

AR - As Required

NS - Not Shown


Woodsman



ITEM	PART NO.	QTY	DESCRIPTION
1	40026130	1	Winch housing assembly
2	21000479	2	Pillow block bearing
3	40020130	1	Bearing mount access cover
4	40004130	1	Winch drum weldment
5	40027130	1	Winch bearing mount & access cover
6	40028130	1	Winch drum inner shaft
7	22040001	1	Winch motor
8	30056130	1	Winch housing access cover
9	30092130	1	Winch engage handle
10	40038130	1	Winch torque arm assembly
11	30062130	1	Winch valve plate mount
12	24600205	8	5/16" Lock washer
13	24402153	4	5/16"-18 x 3/4" Long Gd 5 bolt
14	24650106	10	3/8" Flat washer
15	24402207	4	3/8"-16 x 1 1/4" Long GD 5 bolt
16	24402205	1	3/8"-16 x 1" Long Gd 5 bolt
17	24801107	5	3/8"-16 Lock nut
18	24710305	8	1/2"-13 x 1 1/2" Long carriage bolt
19	24650108	12	1/2" Flat washer
20	24600208	8	1/2" Lock washer
21	25400208	8	1/2"-13 Nut
22	24650110	8	5/8" Flat washer
23	24702411	4	5/8"-11 x 2" Long bolt
24	24801110	4	5/8" Lock nut
25	41002130	1	Winch fairlead assembly
26	24702308	2	1/2"-13 x 1 1/2 Gd 8 bolt
27	24801108	2	1/2"-13 Lock nut
28	24402155	4	5/16"-18 x 1" Long Gd 5 bolt
29	19500029	2	Extenuation spring
30	30117130	1	Selector valve stop

AR - As Required

NS - Not Shown




BASE ASSEMBLY

ITEM	PART NO.	QTY	DESCRIPTION
1	40002318	1	Base bottom weldment
2	40003318	1	Transition assembly
3	30039318	1	Base bottom door
4	24650108	28	1/2" Flat washer
5	24702308	16	1/2"-13 x 1 1/2" Gd 8 bolt
6	24801108	16	1/2"-13 Lock nut
7	40016418	1	Base top cover assembly
8	30037318	1	Anvil
9	40013318	1	Drum lock
10	24650236	3	3/4" Flat washer
11	24702467	3	3/4"-10 x 1 3/4" GD 8 bolt
12	41002318	1	Drum assembly complete
13	21004063	2	Bearing housing
14	24650234	21	5/8" Flat washer
15	24702417	8	5/8"-11 x 2 3/4" Gd 8 bolt
16	24801110	8	5/8"-11 Lock nut
17	24704409	5	5/8"-18 x 1 3/4" Gd 8 bolt

AR - As Required

NS - Not Shown




DISCHARGE CHUTE

ITEM	PART NO.	QTY	DESCRIPTION
1	40032418	1	Discharge chute swivel base weldment
2	40032100	1	Discharge chute weldment
3	24650110	8	5/8" Flat washer
4	24702411	4	5/8"-11 x 2" Long bolt
5	24801110	4	5/8"-11 Lock nut
6	30182418	1	Chute turn sprocket
7	30096418	4	Discharge chute shims
8	30086418	4	Discharge chute shims
9	24702312	8	1/2"13 x 2 Gd 8 bolt
10	24801108	8	1/2"-13 Lock nut
11	25501004	2	Rubber latch

AR - As Required

NS - Not Shown




HYDRAULIC JACK / STABILIZER

ITEM	PART NO.	QTY	DESCRIPTION
1	40067418	1	Hyd. jack / Stabilizer weldment
2	40066418	1	Hyd. jack / Stabilizer weldment top
3	22050020	1	Jack cylinder
4	25610169	1	5/8" x 6" long Hitch pin w/chain
5	24650232	8	1/2" Flat washer
6	24702308	4	1/2"-13 x 1 1/2 Gd 8 bolt
7	24801108	4	1/2"-13 Lock nut

AR - As Required

NS - Not Shown




FUEL & HYDRAULIC TANKS

ITEM	PART NO.	QTY	DESCRIPTION
1	40027080	1	Fuel tank (65 gal)
2	40026080	1	Hydraulic tank (43 gal)
3	22003073	2	Tank cap
4	22003056	1	32" Level gauge
5	22000705	2	3/4" pipe drain plug with magnet
6	22003042	1	2" Suction strainer
7	22003004	1	In tank return filter
8	40072418	1	Tank mount
9	22003049	1	Hydraulic tank sight gauge

AR - As Required

NS - Not Shown




HAND CRANK

ITEM	PART NO.	QTY	DESCRIPTION
-	41026904	1	Complete Assembly
1	40035428	1	Crank Base
2	40015100	1	T-Handle
3	40043428	1	Adjuster Plate
4	30198428	1	Top Cover
5	24402221	2	Bolt 3/8-16 x 3 Gd 8
6	24650106	2	Flat Washer 3/8
7	24500206	2	Hex Nut 3/8
8	30256428	1	Bottom Cover
9	40024100	1	Lock Assembly

AR - As Required

NS - Not Shown




HYDRAULICS

ITEM	PART NO.	QTY	DESCRIPTION
-	40014904	1	Complete Hydraulic Schematic
1	22040115	1	Hydraulic Motor
2	22051208	1	Hydraulic Cylinder
3	22003040	1	Suction Strainer
4	22031016	1	Gear Pump LH
4	22031017	1	Gear Pump RH
5	22003004	1	Filter Complete
5a	22003025	1	Filter Element
6	22015032	1	Base Block (NS)
6a	22002003	1	Adjustable Relief
7	22015040	1	Sub Plate Relief
8	22015036	1	Yoke Valve
9	22015037	1	Feed Valve

AR - As Required

NS - Not Shown




HYDRAULICS w/ WINCH

ITEM	PART NO.	QTY	DESCRIPTION
-	40014904	1	Complete Hydraulic Schematic
1	22040115	1	Hydraulic Motor
2	22051208	1	Hydraulic Cylinder
3	22003040	1	Suction Strainer
4	22031016	1	Gear Pump LH
4	22031017	1	Gear Pump RH
5	22003004	1	Filter Complete
5a	22003025	1	Filter Element
6	22015033	1	Base Block (NS)
6a	22002003	1	Adjustable Relief
7	22015040	1	Sub Plate Relief
8	22015036	1	Yoke Valve
9	22015037	1	Feed Valve
10	22040001	1	Winch Motor

AR - As Required

NS - Not Shown




TRAILER ELECTRICAL

ITEM	PART NO.	QTY	DESCRIPTION
-	30042906	1	Trailer Electric Schematic
1	26094990	1	Trailer Pig Tail 6 Pole
2	26010146	1	Trailer Receptacle 6 Pole
3	26010200	1	Break Away Safety Switch
4	26103058	2	Magnet Kit 5200# and 6000#
5	26095034	1	Trailer Electrical Harness
6	26010138	2	Taillight - Red
6a	26010136	2	Taillight - Clear
7	26010139	2	Marker Light
8	26010145	1	License Plate Light

AR - As Required

NS - Not Shown




ELECTRICAL

ITEM	PART NO.	QTY	DESCRIPTION
-	30020906	1	Complete Assembly
1	26050004	1	Auto Feed Tach
2	26055200	2	Inline Fuse w/cap
3	26055030	1	Switch -2 pos detent
4	26053040	2	Switch
4a	26053045	2	Lever
5	26053054	2	Plug Cord
6	26010146	1	Junction Box
7	22015050	4	Hydraulic Plug (Hershman)
7a	22015036	1	Yoke Valve
7b	22015037	1	Feed Valve
8		4	DO3 Coil
NS	26095045	1	Trailer Harness

AR - As Required

NS - Not Shown




ELECTRICAL with E-STOP

ITEM	PART NO.	QTY	DESCRIPTION
-	30020906	1	Complete Assembly
1	26050004	1	Auto Feed Tach
2	26055200	2	Inline Fuse w/cap
3	26055030	1	Switch -2 pos detent
4	26053040	2	Switch
4a	26053045	2	Lever
5	26053054	2	Plug Cord
6	26010146	1	Junction Box
7	22015050	4	Hydraulic Plug (Hershman)
7a	22015036	1	Yoke Valve
7b	22015037	1	Feed Valve
8		4	DO3 Coil
9	26055017	2	E-Stop Button
10	26053016	2	E-Stop Box
11	26055121	2	Mounting Latch
11a	26055117	2	Contact Normally Closed
12	26010146	1	Safety Receptacle
13	40112901	1	Safety Plug
NS	26095045	1	Trailer Harness

AR - As Required

NS - Not Shown






ALL WIRES JUNCTION INSIDE 6-POLE BOX

ELECTRICAL with E-STOP and WINCH

ITEM	PART NO.	QTY	DESCRIPTION
-	30020906	1	Complete Assembly
1	26050004	1	Auto Feed Tach
2	26055200	2	Inline Fuse w/cap
3	26055030	1	Switch -2 pos detent
4	26053040	2	Switch
4a	26053045	2	Lever
5	26053054	2	Plug Cord
6	26010146	1	Junction Box
7	22015050	4	Hydraulic Plug (Hershman)
7a	22015036	1	Yoke Valve
7b	22015037	1	Feed Valve
7c	22015037	1	Winch Valve
8		4	DO3 Coil
9	26055017	2	E-Stop Button
10	26053016	2	E-Stop Box
11	26055121	2	Mounting Latch
11a	26055117	2	Contact Normally Closed
12	26010146	1	Safety Receptacle
13	40112901	1	Safety Plug
NS	26095045	1	Trailer Harness

AR - As Required

NS - Not Shown




SAFETY DECALS

ITEM	PART NO.	QTY	DESCRIPTION
-	29002000	1	Safety Decal Kit Complete
1	29002005	2	DANGER - Flying Debris
2	29002004	1	DANGER - Use Lock Out Procedures
3	29002008	1	DANGER - Keep Access Door Closed
4	29002003	2	WARNING - Moving Parts Behind Guard
5	29002007	2	EXTREME DANGER - Do Not Reach Into
6	29002027	2	CAUTION - Moving Parts
7	29002023	1	WARNING - Do Not Go Near Leaks
8	29002015	1	WARNING - Flammable Fluid
9	29002044	1	Woodsman Trees (black)
9a	29002043	1	Woodsman Trees (white)
10	29002076	1	Hydraulic Oil Only
11		2	770 decal (black)
11a		2	770 decal (white)
12	29002098	2	Woodsman decal (black)
12a	29002099	2	Woodsman decal (white)
13	29002019	1	Keep Radiator Clean
14	29002015	2	Feed Wheel Lift Cylinder
15	29002010	1	Safety Bar - Push to Reverse
NS	29002031	2	DOT Reflective Tape

AR - As Required

NS - Not Shown



Woodsman

SAFETY DECALS

ITEM	PART NO.	QTY	DESCRIPTION
-	29002000	1	Safety Decal Kit Complete
1	29002010	1	Safety Bar - Push to Reverse
2	29002003	2	WARNING - Moving Parts Behind Guard
3	29002008	2	DANGER - Flying Debris
4	29002098	2	Woodsman Decal (black)
4a	29002099	2	Woodsman Decal (white)
5		2	770 Decal (black)
5a		2	770 Decal (white)
6	29002016	1	WARNING - Do Not Operate Machine
7	29002017	1	WARNING - Do Not Operate This
8	29002011	1	WARNING - It is the owners
9	29002018	1	IMPORTANT - Do Not Engage Clutch
10	29002044	1	Woodsman Trees (black)
10a	29002043	1	Woodsman Trees (white)
11	29002024	1	ATTENTION - Service Required
12	26001060	1	Manual Holder
13	29002009	1	DANGER - Think About
14	29002027	2	CAUTION - Moving Parts
15	29002020	1	Feed Wheel Lift Cylinder
16	29002007	2	EXTREME DANGER - Do Not Reach
17	29002110	1	Auto Feed - On / Off
NS	29002031	2	DOT Reflective Tape

AR - As Required


NS - Not Shown

⚠ DANGER	⚠ PELIGRO
FLYING DEBRIS	ESCOMBROS EN VUELO

⚠ DANGER	⚠ PELIGRO
USE LOCK OUT PROCEDURES WHEN CHANGING KNIVES.	USE LOS PROCEDIMIENTOS DE SEGURO QUE IMPIDEN EL MOVIMIENTO MIENTRAS CAMBIANDO LOS CUCHILLOS.

⚠ DANGER	⚠ PELIGRO
KEEP ACCESS DOOR CLOSED DURING OPERATION.	Mantenga La Puerta de acceso Cerrada durante. La operacion
SHUT MACHINE DOWN AND WAIT FOR DRUM TO COME TO A COMPLETE STOP BEFORE OPENING.	¡Tiene que apagar esta maquina. Y espere que el tambor llegue a una parada. Completamente ante de abrir La Puerta.

⚠ DANGER	⚠ PELIGRO
MOVING PARTS BEHIND GUARD	PARTES EN MOVIMIENTO DETRAS DEL PANEL DE SEGURIDAD.



⚠ WARNING	⚠ ADVERTENCIA
FLAMMABLE FLUID DIESEL FUEL ONLY	LIQUIDO FLAMABLE SOLAMENTE DIESEL
- Do not attempt to fill this tank with engine running! - Do not fill fuel tank completely full. - Allow two inches for fuel expansion.	- No intentar llenar el tanque con el motor en marcha! - No llenar el tanque completamente. - Dejar dos pulgadas para expansión del combustible.

⚠ WARNING	⚠ ADVERTENCIA
DO NOT GO NEAR LEAKS	NO VAYA CERCA DE LOS ESCAPES
- High pressure oil easily punctures skin causing serious injury, gangrene, or death. - If injured, seek emergency medical help. Immediate surgery is required to remove oil. - Do not use finger or skin to check for leaks. - Lower load or relieve hydraulic pressure before loosening fittings.	- El aceite de alta presión es capaz de penetrar la piel. La presión del aceite puede causar lesiones serias: gangrena o muerte. - Si está herido, necesita ayuda médica inmediatamente. La persona necesita cirugía para sacar el aceite. - No utilice los dedos o la piel para comprobar si hay escapes de aceite. - Baja la carga o. Quite la presión hidráulica antes de aflojar las piezas hidráulicas o aceite de alta presión es capaz de penetrar la piel, la presión del aceite puede causar. Lesiones serias, gangrena o muerte.

⚠ CAUTION
MOVING PARTS

⚠ EXTREME DANGER	⚠ PELIGRO EXTREMADAMENTE
DO NOT REACH INTO THIS AREA WITH HANDS OR FEET.	NO SE EXTENDER EN ESTE AREA CON SUS MANOS NI PIES.

Woodsman

ENGLISH-SPANISH SAFETY DECALS

ITEM	PART NO.	QTY	DESCRIPTION
-	29002045	1	English-Spanish Safety Decal Kit Complete
1	29002034	2	DANGER - Flying Debris
2	29002033	1	DANGER - Use Lock Out Procedures
3	29002029	1	DANGER - Keep Access Door Closed
4	29002032	2	DANGER - Moving Parts Behind Guard
5	29002036	2	EXTREME DANGER - Do Not Reach Into
6	29002027	2	CAUTION - Moving Parts
7	29002028	1	WARNING - Do Not Go Near Leaks
8	29002038	1	WARNING - Flammable Fluid
9	29002044	1	Woodsman Trees (black)
9a	29002043	1	Woodsman Trees (white)
10	29002040	1	Hydraulic Oil Only
11		2	770 decal (black)
11a		2	770 decal (white)
12	29002098	2	Woodsman decal (black)
12a	29002099	2	Woodsman decal (white)
13	29002030	1	Keep Radiator Clean
14	29002025	2	Feed Wheel Lift Cylinder LH
15	29002042	1	Safety Bar - Push to Reverse
NS	29002031	2	DOT Reflective Tape

AR - As Required

NS - Not Shown

⚠ DANGER	⚠ PELIGRO
MOVING PARTS BEHIND GUARD	PARTES EN MOVIMIENTO DETRAS DEL PANEL DE SEGURIDAD.

⚠ DANGER	⚠ PELIGRO
FLYING DEBRIS	ESCOMBROS EN VUELO

⚠ WARNING	⚠ ADVERTENCIA
DO NOT OPERATE MACHINE WITHOUT GUARDS SECURELY IN PLACE.	NO USE ESTE MAQUINA SIN TENER LOS PANELES DE SEGURIDAD SERGURAMENTE ASEGUARADOS.

⚠ WARNING	⚠ ADVERTENCIA
Do Not Operate This Machine Unless You Have Completely Read The Operator's Manual & Have Been Instructed In The Safe Operation Of This Machine.	No funcione esta maquina a menos que usted haya leido totalmente. El manual de operacion y las instrucciones, de la operacion de seguridad de esta maquina.

⚠ WARNING	⚠ ADVERTENCIA
IT IS THE OWNERS RESPONSIBILITY TO REPLACE ANY DAMAGED OR MISSING DECALS ON THIS UNIT.	ES LA RESPONSABILIDAD DEL DUENO DE REEMPLAZAR CUALQUIER ETIQUETA AVERADA O PERDIDA EN ESTE MAQUINA.

IMPORTANT	IMPORTANTE
DO NOT ENGAGE CLUTCH AT SPEEDS ABOVE ENGINE IDLE	NO REEMBELE EL ENBRADAJE A LAS VELOCIDADES SOBRE MARCHA LENTA DEL MOTOR NUNCA DEEMBELE EL ENBRADAJE A ALTA VELOCIDAD

ATTENTION	CUIDADO
SERVICE REQUIRED	SE REQUIERE SERVICIO
New belts stretch. If they are not adjusted, they will slip and glide over. This not only ruins the belts but also ruins the drive pulley. Adjust after the first two (2) hours of operation and twice daily until the belts have quit stretching. Burned belts are not covered by warranty.	Nuevas bandas ajustables. Si no se encuentran ajustadas se deslizaran y se oxidaran. Esto no solo arruina la polea las bandas tambien arruina. Ajustarlas despues de dos horas de operacion y dos veces al dia hasta que las bandas esten firmemente ajustadas. La quemadura de las bandas no es cubierta por la garantia.

⚠ CAUTION
MOVING PARTS

⚠ EXTREME DANGER	⚠ PELIGRO EXTREMADAMENTE
DO NOT REACH INTO THIS AREA WITH HANDS OR FEET.	NO SE EXTENDER EN ESTE AREA CON SUS MANOS NI PIES.
	

⚠ DANGER	⚠ PELIGRO
THINK ABOUT WHAT YOU'RE DOING	PIENSE EN LO QUE VA A HACER
There is absolutely no reason to reach into the infeed chute. If the feedwheel becomes tangled with small debris, shut down machine to untangle. Follow all operator instructions for this process. If you have short pieces or loose material, toss them into the infeed chute while longer material is feeding or don't feed the short pieces at all.	No hay absolutamente razon para alcanzar en el canal. Si la rueda de alimentacion se enreda, con pedazos cortos o materiales sueltos. Tiene que apagar la maquina para desenredar siga todas las intruccionen del operador. Para este proceso, si usted tiene materiales cortos o materiales sueltos entre los materiales con los materiales mas largos pero si es posible no entren los cortos, cortos o los sueltos.
REMEMBER	RECUERDE
1. Never operate this machine before reading the operators manual and understanding all operation, safety, and maintenance procedures! 2. Never operate this machine alone. At least two people at all times is recommended. 3. Never operate this machine when wearing loose clothing, scarves, gauntlet style gloves, or gloves with large cuffs or holes.	1. Nunca funcione esta maquina antes de leer los manuales de operacion. Y de entender toda forma de seguridad y el mantenimiento de esta maquina! 2. Nunca funcione esta maquina solamente por lo menos se recomienda dos personas siempre. 3. Nunca funcione esta maquina con ropa floja y bufandas, guantes con agujeros y guantes de estilo guantelete.

Woodsman

ENGLISH-SPANISH SAFETY DECALS

ITEM	PART NO.	QTY	DESCRIPTION
-	29002045	1	English - Spanish Decal Kit Complete
1	29002042	1	Safety Bar - Push to Reverse
2	29002042	2	DANGER - Moving Parts Behind Guard
3	29002008	2	DANGER - Flying Debris
4	29002098	2	Woodsman Decal (black)
4a	29002099	2	Woodsman Decal (white)
5		2	770 Decal (black)
5a		2	770 Decal (white)
6	29002039	1	WARNING - Do Not Operate Machine
7	29002221	1	WARNING - Do Not Operate This
8	29002037	1	WARNING - It is the owners
9	29002222	1	IMPORTANT - Do Not Engage Clutch
10	29002044	1	Woodsman Trees (black)
10a	29002043	1	Woodsman Trees (white)
11	29002041	1	ATTENTION - Service Required
12	26001060	1	Manual Holder
13	29002220	1	DANGER - Think About
14	29002027	2	CAUTION - Moving Parts
15	29002026	1	Feed Wheel Lift Cylinder RH
16	29002036	2	EXTREME DANGER - Do Not Reach Into
17	29002110	1	Auto Feed - On / Off
NS	29002031	2	DOT Reflective Tape

AR - As Required

NS - Not Shown